


ATLANTIC

Colorfalls

LIGHTED FALLS



Enjoy the sights and sounds
of soothing lighted falls in
your next outdoor project.



 **Colorfalls**
LIGHTED FALLS

PLUMBING
CUTAWAY




Colorfalls Kits

CFKITW – with White LED Light | CFKITB – with Blue LED Light

KITS INCLUDE

- 24" Colorfalls
- New! Colorfalls Basin
- TW2400 TidalWave 2 Pump
- 10' of 1-1/4" Flexible PVC Pipe
- Complete Installation Kit Including Pump Discharge, Glue, Cleaner, Thread Sealant, and Fittings

COLORFALLS™ LIGHTED WEIR



MODEL CF12B / CF12W ColorFalls 12"

- 12 volt
- 10 watts
- 1 ¼" inlet
- 1000 gph flow rate
- 5" lip extension
- 30' cord and trans
- 12"l x 8"w x 3 ½" h

MODEL CF24B / CF24W ColorFalls 24"

- 12 volt
- 20 watts
- 1 ¼" inlet
- 2000 gph flow rate
- 5" lip extension
- 30' cord and trans
- 24"l x 8"w x 3 ½" h

MODEL CF36B / CF36W ColorFalls 36"

- 12 volt
- 30 Watts
- 1 ¼" inlet
- 3000 gph Flow Rate
- 5" Lip Extension
- 30' cord and trans
- 36"l x 8"w x 3 ½" h

TIDAL WAVE II™ PUMP



MODEL TW1900

- 130 watts
- 1 ¼" MIPT inlet
- 1" FIPT outlet
- 1440gph @5'
- 32' cord
- 11"l x 6"w x 6.5"h

MODEL TW2400

- 175 watts
- 1 ¼" MIPT inlet
- 1" FIPT outlet
- 1950gph @5'
- 32' cord
- 11"l x 6"w x 6.5"h

MODEL TW3700

- 355 watts
- 2" MIPT inlet
- 1 ½" FIPT outlet
- 3010gph @5'
- 32' cord
- 10"l x 6"w x 7"h

COLORFALLS™ BASIN



MODEL CFBASIN

- 40gal capacity
- Pre-filtered pump chamber
- Built in plumbing channels
- Can be installed above or below grade
- 44"l x 22"w x 16"h

ANTI-SPLASH MAT



MODEL CFSPMA

- Installs on top of the ColorFalls Basin
- Virtually eliminates splash
- Reduces water loss
- Cover the mat around the waterfall with gravel for a more natural look

REPLACEMENT FILTER



MODEL CFMA

- Grey 'MATALA' replacement filter for the ColorFalls Basin
- 17 ½"l x 1 ½"w x 12 ½" h

CLEANING BRUSH



MODEL CFBRUSH

- Quickly removes debris from the ColorFalls spillway
- 8 ½"l x ¼" w

AUTO FILL KIT



MODEL AF1000

- Maintains a consistent water level in the ColorFalls Basin
- Plumbing channels make installation easy
- Includes adaptors for ½" PVC, ½" poly, and garden hose

FALLSFOAM



MODEL LF1100 / LF1300

- UV protected expanding black waterfall foam
- Used to prevent gravel from falling into voids between the ColorFalls Basin and the retaining wall block



Colorfalls

LIGHTED FALLS

The ColorFalls has been specifically designed to work with most retaining walls to add a beautiful sheer waterfall. The units boast low energy LED lights, an extra long reinforced weir, and an interior baffling system that produces a single lighted water sheer. The ColorFalls Basin has been engineered to catch, clean and redistribute the water for a virtually maintenance free water feature. Enjoy the sights and sounds of soothing lighted waterfall in your next outdoor project.

COLORFALLS™ INSTALLATION

STEP 1



STEP 2



STEP 3



STEP 4



STEP 5



STEP 6



STEP 7



STEP 8



STEP 9



STEP 10



STEP 11



STEP 12

